

	Search Terms
1	BATTERIES
2	BATTERY
3	BATTERY'S
4	BROADCAST
5	BROADCASTING
6	BROADCASTINGS
7	BROADCASTS
8	BUS
9	BUSES
10	BUSSES
11	CHAIN
12	CHAINS
13	DAISIES
14	DAISY
15	DAISYS
16	MONITOR
17	MONITORED
18	MONITORED'S
19	MONITORING
20	MONITORINGS
21	MONITORS
22	PROBE
23	PROBED
24	PROBED'S
25	PROBES
26	PROBING
27	PROBINGS
28	TEST
29	TESTABLE
30	TESTABLES
31	TESTED
32	TESTED'S
33	TESTER

	Total	US-PGPUB	USPAT	USOCR	EPO	JPO	Derwent	IBM TDB
1	155070							
2	687032							
3	110							
4	150451							
5	83473							
6	332							
7	28364							
8	472368							
9	93385							
10	27642							
11	1118025							
12	314504							
13	325							
14	12028							
15	2							
16	691597							
17	415351							
18	0							
19	660290							
20	194							
21	244209							
22	331769							
23	28206							
24	4							
25	149461							
26	31998							
27	184							
28	1394052							
29	4290							
30	0							
31	657251							
32	1							
33	110280							

	Search Terms
34	TESTERS
35	TESTING
36	TESTINGS
37	TESTS
38	(((DAISY SAME (BROADCASTING OR BROADCAST)) SAME (PROBED OR PROBING OR PROBE) SAME BUS SAME CHAIN) AND BATTERY) AND (TESTABLE OR TESTER OR MONITORED OR TESTED OR TESTING OR MONITORING OR MONITOR OR TEST))

	Total	US-PGPUB	USPAT	USOCR	EPO	JPO	Derwent	IBM TDB
34	10753							
35	665148							
36	1232							
37	564730							
38	2							

	U	1	Document ID	Issue Date	Pages	Title	Current OR
1	X		US 20040095249 A1	20040520	21	Method and apparatus for the continuous performance monitoring of a lead acid battery system	340/636.1
2	X		US 6611774 B1	20030826	20	Method and apparatus for the continuous performance monitoring of a lead acid battery system	702/63

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5	Image Doc. Displayed	PT
1			Zaccaria, Robert	X							US 20040095249	
2	320/116; 702/188; 702/64; 702/65		Zaccaria; Robert								US 6611774	

	Search Terms
1	ADDRESS
2	ADDRESSABLE
3	ADDRESSABLES
4	ADDRESSED
5	ADDRESSED
6	ADDRESSES
7	ADDRESSING
8	ADDRESSINGS
9	INITIALISE
10	INITIALISED
11	INITIALISES
12	INITIALISING
13	INITIALIZE
14	INITIALIZED
15	INITIALIZES
16	INITIALIZING
17	PROBE
18	PROBED
19	PROBEDS
20	PROBES
21	PROBING
22	PROBINGS
23	SELECT
24	SELECTABLE
25	SELECTABLES
26	SELECTED
27	SELECTEDS
28	SELECTING
29	SELECTINGS
30	SELECTS
31	SERVER
32	SERVERS

	Total	US-PGPUB	USPAT	USOCR	EPO	JPO	Derwent	IBM TDB
1	695346							
2	57579							
3	1							
4	204065							
5	0							
6	297411							
7	120865							
8	139							
9	5675							
10	3662							
11	1281							
12	2543							
13	45848							
14	94459							
15	35395							
16	48554							
17	331769							
18	28206							
19	4							
20	149461							
21	31998							
22	184							
23	969268							
24	150258							
25	19							
26	3379322							
27	7							
28	829935							
29	18							
30	402210							
31	314518							
32	84611							

	Search Terms
33	(((((INITIALIZING OR INITIALIZE OR INITIALIZED) SAME (PROBED OR PROBING OR PROBE)) SAME (ADDRESSABLE OR ADDRESSING OR ADDRESSED OR ADDRESS)) AND (PROBE SAME (SELECTABLE OR SELECTING OR SELECT OR SELECTED)) AND SERVER)

	Total	US-PGPUB	USPAT	USOCR	EPO	JPO	Derwent	IBM TDB
33	12							

	U	1	Document ID	Issue Date	Pages	Title	Current OR
1	X		US 20050076238 A1	20050407		Security management system for monitoring firewall operation	713/201
2	X		US 20050076235 A1	20050407		Network firewall test methods and apparatus	713/201
3	X		US 20050075842 A1	20050407		Methods and apparatus for testing dynamic network firewalls	702/188
4	X		US 20050033653 A1	20050210		Electronic mail card purchase verification	705/26
5	X		US 20050027453 A1	20050203		Techniques for surface exploration and monitoring	702/14
6	X		US 20040095249 A1	20040520	21	Method and apparatus for the continuous performance monitoring of a lead acid battery system	340/636.1
7	X		US 20030182641 A1	20030925		Rapid input/output probing apparatus and input/output probing method using the same, and mixed emulation/simulation method based on it	716/4
8	X		US 20030110276 A1	20030612		Dynamic tunnel probing in a communications network	709/230
9	X		US 6611774 B1	20030826	20	Method and apparatus for the continuous performance monitoring of a lead acid battery system	702/63
10	X		US 6185703 B1	20010206		Method and apparatus for direct access test of embedded memory	714/718
11	X		US 5872973 A	19990216		Method for managing dynamic relations between objects in dynamic object-oriented languages	719/332
12	X		US 5826005 A	19981020		System and method for diagnosing computer program faults through the provision of program probe points and referenceable diagnostic program probes	714/38

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5	Image Doc. Displayed	PT
1			Ormazabal, Gaston S. et al.	X							US 20050076238	
2			Ormazabal, Gaston S. et al.								US 20050076235	
3			Ormazabal, Gaston S. et al.								US 20050075842	
4			Eisenberg, Ian et al.								US 20050033653	
5			Fort, Justin L. et al.								US 20050027453	
6			Zaccaria, Robert								US 20040095249	
7			Yang, Sei-Yang								US 20030182641	
8	709/238		Riddle, Guy								US 20030110276	
9	320/116; 702/188; 702/64; 702/65		Zaccaria; Robert								US 6611774	
10	711/3		Guddat; Douglas A. et al.								US 6185703	
11	717/108; 717/116; 719/317; 719/330		Mitchell; David C. et al.								US 5872973	
12	714/35		Fuller; Billy J.								US 5826005	

	Search Terms
1	BATTERIES
2	BATTERY
3	BATTERYYS
4	BUS
5	BUSES
6	BUSSES
7	CHAIN
8	CHAINS
9	DAISIES
10	DAISY
11	DAISYS
12	PROBE
13	PROBED
14	PROBEDS
15	PROBES
16	PROBING
17	PROBINGS
18	SERVER
19	SERVERS
20	STRING
21	STRINGS
22	(((((DAISY SAME CHAIN) AND (STRING SAME BATTERY)) AND ((PROBED OR PROBING OR PROBE) SAME BUS) AND SERVER))

	Total	US-PGPUB	USPAT	USOCR	EPO	JPO	Derwent	IBM TDB
1	155070							
2	687032							
3	110							
4	472368							
5	93385							
6	27642							
7	1118025							
8	314504							
9	325							
10	12028							
11	2							
12	331769							
13	28206							
14	4							
15	149461							
16	31998							
17	184							
18	314518							
19	84611							
20	259764							
21	93114							
22	2							

	U	1	Document ID	Issue Date	Pages	Title	Current OR
1			US 20040095249 A1	20040520	21	Method and apparatus for the continuous performance monitoring of a lead acid battery system	340/636.1
2	X		US 6611774 B1	20030826	20	Method and apparatus for the continuous performance monitoring of a lead acid battery system	702/63

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5	Image Doc. Displayed	PT
1			Zaccaria, Robert	X							US 20040095249	
2	320/116; 702/188; 702/64; 702/65		Zaccaria; Robert								US 6611774	

	Search Terms
1	BATTERIES
2	BATTERY
3	BATTERY'S
4	BROADCAST
5	BROADCASTS
6	BUS
7	BUSES
8	BUSSES
9	COMMAND
10	COMMANDS
11	INITIALISATION
12	INITIALISATIONS
13	INITIALISE
14	INITIALISED
15	INITIALISES
16	INITIALISING
17	INITIALIZATION
18	INITIALIZATIONS
19	INITIALIZE
20	INITIALIZED
21	INITIALIZES
22	INITIALIZING
23	SERVER
24	SERVERS
25	SIGNAL
26	SIGNALS
27	(((((INITIALIZING OR INITIALIZE OR INITIALIZED OR INITIALIZATION) SAME SERVER SAME BUS) SAME (COMMAND OR SIGNAL)) AND (BROADCAST SAME BUS) AND BATTERY)

	Total	US-PGPUB	USPAT	USOCR	EPO	JPO	Derwent	IBM TDB
1	155070							
2	687032							
3	110							
4	150451							
5	28364							
6	472368							
7	93385							
8	27642							
9	488945							
10	227279							
11	6104							
12	48							
13	5675							
14	3662							
15	1281							
16	2543							
17	102217							
18	1851							
19	45848							
20	94459							
21	35395							
22	48554							
23	314518							
24	84611							
25	3850447							
26	2013782							
27	3							

	U	1	Document ID	Issue Date	Pages	Title	Current OR
1	X		US 20040095249 A1	20040520	21	Method and apparatus for the continuous performance monitoring of a lead acid battery system	340/636.1
2	X		US 6611774 B1	20030826	20	Method and apparatus for the continuous performance monitoring of a lead acid battery system	702/63
3	X		US 6104714 A	20000815	22	Method and apparatus for allowing communication in an isochronous traffic of asynchronous transfer mode (ATM) cells in a ring network	370/396

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5	Image Doc. Displayed	PT
1			Zaccaria, Robert								US 20040095249	
2	320/116; 702/188; 702/64; 702/65		Zaccaria; Robert								US 6611774	
3	370/358		Baudelot; Francis et al.								US 6104714	

	Search Terms
1	ZACCARIA-ROBERT
2	ZACCARIA-ROBERTS
3	ZACCARIA-ROBERT.IN.

	Total	US-PGPUB	USPAT	USOCR	EPO	JPO	Derwent	IBM TDB
1	3							
2	0							
3	3							

	U	1	Document ID	Issue Date	Pages	Title	Current OR
1	X		US 20040095249 A1	20040520	21	Method and apparatus for the continuous performance monitoring of a lead acid battery system	340/636.1
2	X		US 6611774 B1	20030826	20	Method and apparatus for the continuous performance monitoring of a lead acid battery system	702/63
3	X		WO 9620875 A1	19960711		COLLAPSIBLE CONTAINER	

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5	Image Doc. Displayed	PT
1			Zaccaria, Robert								US 20040095249	
2	320/116; 702/188; 702/64; 702/65		Zaccaria; Robert								US 6611774	
3			ZACCARIA, ROBERT et al.									

	Search Terms
1	BATTERIES
2	BATTERY
3	BATTERY'S
4	CURRENT
5	CURRENTS
6	IMPEDANCE
7	IMPEDANCES
8	INJECT
9	INJECTED
10	INJECTED'S
11	INJECTING
12	INJECTING'S
13	INJECTION
14	INJECTIONS
15	INJECTS
16	STRING
17	STRINGS
18	VOLT
19	VOLTAGE
20	VOLTAGES
21	VOLTS
22	(((((IMPEDANCE AND (STRING SAME BATTERY)) AND ((INJECT OR INJECTING OR INJECTED OR INJECTION) SAME CURRENT)) AND (VOLTS OR VOLTAGE)))

	Total	US-PGPUB	USPAT	USOCR	EPO	JPO	Derwent	IBM TDB
1	155070							
2	687032							
3	110							
4	2759516							
5	380210							
6	354609							
7	50431							
8	100481							
9	522657							
10	0							
11	270168							
12	3							
13	938051							
14	72075							
15	35820							
16	259764							
17	93114							
18	204786							
19	2025269							
20	448535							
21	276300							
22	79							

	U	1	Document ID	Issue Date	Pages	Title	Current OR
1	X		US 20050075806 A1	20050407	14	Method and system for testing battery connectivity	702/63
2	X		US 20050073314 A1	20050407		Electronic battery tester/charger with integrated battery cell temperature measurement device	324/433
3	X		US 20050068039 A1	20050331		In-vehicle battery monitor	324/426
4	X		US 20050057865 A1	20050317		Shunt connection to a PCB of an energy management system employed in an automotive vehicle	361/56
5	X		US 20050024061 A1	20050203		Energy management system for automotive vehicle	324/426
6	X		US 20050021475 A1	20050127		Electronic battery tester with relative test output	705/63
7	X		US 20050001626 A1	20050106		Modular electronic battery tester	324/426
8	X		US 20040217880 A1	20041104	21	METHOD AND APPARATUS FOR PERFORMING DIAGNOSTICS IN A WELLBORE OPERATION	340/854.9
9	X		US 20040157113 A1	20040812	21	Apparatus and method for predicting the remaining discharge time of a battery	429/50
10	X		US 20040145371 A1	20040729	11	Query based electronic battery tester	324/426
11	X		US 20040140904 A1	20040722	12	Apparatus and method for protecting a battery from overdischarge	340/636.15
12	X		US 20040108856 A1	20040610	12	Electronic battery tester	324/426
13	X		US 20040095249 A1	20040520	21	Method and apparatus for the continuous performance monitoring of a lead acid battery system	340/636.1
14	X		US 20040051532 A1	20040318	11	Battery tester upgrade using software key	324/426
15	X		US 20040046566 A1	20040311	10	Electronic battery tester configured to predict a load test result	324/429
16	X		US 20040046564 A1	20040311	11	Battery test outputs adjusted based upon battery temperature and the state of discharge of the battery	324/426
17	X		US 20030184306 A1	20031002	11	Battery tester with battery replacement output	324/426
18	X		US 20030183191 A1	20031002	12	Charge control system for a vehicle battery	123/198R
19	X		US 20030173971 A1	20030918	11	Electronic battery tester with battery failure temperature determination	324/441

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5	Image Doc. Displayed	PT
1			Phansalkar, Bansidhar Jagannath et al.	X							US 20050075806	
2	324/426		Bertness, Kevin I. et al.								US 20050073314	
3			Bertness, Kevin I.								US 20050068039	
4			Veloo, Balaguru K. et al.								US 20050057865	
5			Cox, Michael et al.								US 20050024061	
6			Bertness, Kevin I. et al.								US 20050021475	
7			Bertness, Kevin I. et al.								US 20050001626	
8			Clark, Brian et al.								US 20040217880	
9	324/426; 324/435; 429/90		Klang, James K.								US 20040157113	
10			Bertness, Kevin I. et al.								US 20040145371	
11			Bertness, Kevin I.								US 20040140904	
12			Johnson, Frederick M.								US 20040108856	
13			Zaccaria, Robert								US 20040095249	
14			Smith, Clark E. et al.								US 20040051532	
15	324/427; 324/431		Klang, James K.								US 20040046566	
16			Klang, James K. et al.								US 20040046564	
17			Bertness, Kevin I. et al.								US 20030184306	
18			Bertness, Kevin I. et al.								US 20030183191	
19			Bertness, Kevin I. et al.								US 20030173971	

	U	1	Document ID	Issue Date	Pages	Title	Current OR
20	X		US 20030124417 A1	20030703	20	Battery test module	429/90
21	X		US 20030090272 A1	20030515	17	In-vehicle battery monitor	324/426
22	X		US 20030088375 A1	20030508	10	Electronic battery tester with relative test output	702/63
23	X		US 20030078743 A1	20030424	18	Battery test module	702/63
24	X		US 20030048106 A1	20030313	10	Modular electronic battery tester	324/426
25	X		US 20030038637 A1	20030227	20	Automotive vehicle electrical system diagnostic device	324/426
26	X		US 20030001579 A1	20030102		Method and apparatus for auditing a battery test	324/426
27	X		US 20020193955 A1	20021219		Battery test module	702/63
28	X		US 20020065619 A1	20020530		Battery test module	702/63
29	X		US 20020018513 A1	20020214		Memory	374/178
30	X		US 20020013654 A1	20020131		Method and apparatus for controlling a motorcycle engine	701/110
31	X		US 20020011752 A1	20020131		Apparatus and method for rapid fault detection and transfer in a utility-interactive uninterruptible power supply	307/64
32	X		US 20020010558 A1	20020124		Storage battery with integral battery tester	702/63
33	X		US 6850037 B2	20050201		In-vehicle battery monitor	320/132
34	X		US 6805090 B2	20041019		Charge control system for a vehicle battery	123/198R
35	X		US 6795782 B2	20040921		Battery test module	702/63
36	X		US 6781382 B2	20040824		Electronic battery tester	324/426
37	X		US 6768223 B2	20040727		Apparatus and method for rapid fault detection and transfer in a utility-interactive uninterruptible power supply	307/64

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5	Image Doc. Displayed	PT
20	324/426; 429/121; 429/180		Bertness, Kevin I. et al.								US 20030124417	
21			Bertness, Kevin I.								US 20030090272	
22			Bertness, Kevin I. et al.								US 20030088375	
23			Bertness, Kevin I. et al.								US 20030078743	
24			Bertness, Kevin I. et al.								US 20030048106	
25			Bertness, Kevin I. et al.								US 20030038637	
26			Bertness, Kevin I.									
27			Bertness, Kevin I. et al.									
28			Bertness, Kevin I. et al.									
29	374/163; 374/170		Curry, Stephen M. et al.									
30	700/17; 701/115; 701/54		Masters, Stephen C. et al.									
31			Powell, Jeffrey M. et al.									
32			Bertness, Kevin I. et al.									
33			Bertness, Kevin I.									
34			Bertness, Kevin I. et al.									
35	702/121; 702/188; 702/64; 702/65		Bertness, Kevin I. et al.									
36	320/132		Johnson, Frederick M.									
37			Powell, Jeffrey M. et al.									

	U	1	Document ID	Issue Date	Pages	Title	Current OR
38	X		US 6765388 B1	20040720		Assessing a parameter of cells in the batteries of uninterruptable power supplies	324/426
39	X		US 6759849 B2	20040706		Battery tester configured to receive a removable digital module	324/426
40	X		US 6721648 B2	20040413		Method and apparatus for controlling a motorcycle engine	701/110
41	X		US 6611774 B1	20030826		Method and apparatus for the continuous performance monitoring of a lead acid battery system	702/63
42	X		US 6396276 B1	20020528		Apparatus and method for electric field telemetry employing component upper and lower housings in a well pipestring	324/366
43	X		US 6388423 B1	20020514		Battery monitor and open circuit protector	320/122
44	X		US 6346817 B1	20020212		Float current measuring probe and method	324/426
45	X		US 6332113 B1	20011218		Electronic battery tester	702/63
46	X		US 6330977 B1	20011218		Electronic labeling systems and methods and electronic card systems and methods	235/487
47	X		US 6316914 B1	20011113		Testing parallel strings of storage batteries	320/134
48	X		US 6217213 B1	20010417		Temperature sensing systems and methods	374/178
49	X		US 6188223 B1	20010213		Electric field borehole telemetry	324/370
50	X		US 6122704 A	20000919		Integrated circuit for identifying an item via a serial port	711/100

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5	Image Doc. Displayed	PT
38			Clegg; Andrew Simon									
39			Bertness; Kevin I. et al.									
40	700/17; 701/115; 701/54		Masters; Stephen C. et al.									
41	320/116; 702/188; 702/64; 702/65		Zaccaria; Robert									
42	175/50; 324/368; 324/369		Van Steenwyk; Donald H. et al.									
43	320/116		Schilleci, Jr.; John W.									
44			Bernier; Martin et al.									
45	320/116; 320/124; 324/430; 324/433; 324/434		Bertness; Kevin I.									
46	235/492		Hass; Steven N. et al.									
47	324/430		Bertness; Kevin I.									
48	368/202; 374/102		Curry; Stephen M. et al.									
49	175/50; 324/366; 324/368; 324/369		Van Steenwyk; Donald H. et al.									
50	711/162; 712/1		Hass; Steven N. et al.									

	U	1	Document ID	Issue Date	Pages	Title	Current OR
51	X		US 6112275 A	20000829		Method of communicating over a single wire bus between a host device and a module device which measures thermal accumulation over time	711/100
52	X		US 6100702 A	20000808		In-situ fault detection apparatus and method for an encased energy storing device	324/551
53	X		US 6091245 A	20000718		Method and apparatus for auditing a battery test	324/426
54	X		US 6051976 A	20000418		Method and apparatus for auditing a battery test	324/426
55	X		US 6036101 A	20000314		Electronic labeling systems and methods and electronic card systems and methods	235/492
56	X		US 6016255 A	20000118		Portable data carrier mounting system	361/807
57	X		US 5986434 A	19991116		Controller system for a DC power supply	320/128
58	X		US 5969625 A	19991019		High sensitivity battery resistance monitor and method therefor	340/636.19
59	X		US 5945829 A	19990831		Midpoint battery monitoring	324/430
60	X		US 5932827 A	19990803		Sustainer for a musical instrument	84/726
61	X		US 5883516 A	19990316		Apparatus and method for electric field telemetry employing component upper and lower housings in a well pipestring	324/366
62	X		US 5821697 A	19981013		Constant intensity electronic flashlight and lantern method and apparatus	315/200A

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5	Image Doc. Displayed	PT
51	710/100;		Curry; Stephen M. et al.									
	710/107;											
	711/1;											
	711/4											
52	324/509;		Hagen; Ronald A. et al.									
	324/557;											
	324/771											
53	324/429		Bertness; Kevin I.									
54	340/636.13;		Bertness; Kevin I.									
	340/636.15;											
	340/636.16;											
	340/636.19											
55	235/439;		Hass; Steven N. et al.									
	235/441											
56	361/809		Bolan; Michael L. et al.									
57	320/150		Roy; Steve et al.									
58	320/116;		Russo; Frank J.									
	320/134;											
	324/430;											
	340/636.15;											
	340/638											
59	320/150;		Bertness; Kevin I.									
	324/433;											
	324/434;											
	340/514;											
	340/636.11;											
60	340/636.15		Osborne; Gary T. et al.									
	84/738											
61	175/50;		Van Steenwyk; Donald H. et al.									
	324/368;											
	324/369											
62	315/307;		Weber; Harold J.									
	323/281											

	U	1	Document ID	Issue Date	Pages	Title	Current OR
63	X		US 5761697 A	19980602		Identifiable modules on a serial bus system and corresponding identification methods	711/100
64	X		US 5744962 A	19980428		Automated data storing battery tester and multimeter	324/426
65	X		US 5619066 A	19970408		Memory for an electronic token	257/679
66	X		US 5546003 A	19960813		Multi-cell battery monitoring system with single sensor wire	324/434
67	X		US 5517015 A	19960514		Communication module	235/492
68	X		US 5467083 A	19951114		Wireless downhole electromagnetic data transmission system and method	340/854.6
69	X		US 5214370 A	19930525		Battery charger with thermal runaway protection	320/152
70	X		US 5010331 A	19910423		Time-key integrated circuit	340/5.28
71	X		US 4933640 A	19900612		Apparatus for locating an elongated conductive body by electromagnetic measurement while drilling	324/339
72	X		US 4572967 A	19860225		Bipolar analog switch	327/411
73	X		US 4030013 A	19770614		Emergency lighting system AC line voltage sensing	320/123
74	X		US 3921005 A	19751118		Emergency lighting system with high efficiency inverter	307/64

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5	Image Doc. Displayed	PT
63	710/107;		Curry; Stephen M. et al.									
	710/110;											
	710/113;											
	711/1;											
	711/4											
64	324/430;		Alber; Glenn et al.									
	324/433											
65	235/492;		Curry; Stephen M. et al.									
	257/730;											
	257/732											
66	320/DIG.18		Noworolski; Zbigniew et al.									
67	257/678;		Curry; Stephen M. et al.									
	257/679;											
	257/730;											
	257/732											
68	340/854.4		McDonald; William J. et al.									
69	320/DIG.32		Harr; Charles E. et al.									
70	340/5.65;		Dias; Donald R. et al.									
	365/96											
71	166/66.5;		Kuckes; Arthur F.									
	175/45;											
	175/50;											
	324/342;											
	324/343;											
	324/346											
72	327/482;		Metz; Arthur J.									
	327/577;											
	327/595;											
	330/252											
73	315/86		Watrous; Donald L.									
74	307/66;		Watrous; Donald L.									
	363/25											

	U	1	Document ID	Issue Date	Pages	Title	Current OR
75	X		US 3530224 A	19700922		FOOT CONTROLLED CONTINUOUSLY VARIABLE PREFERENCE CIRCUIT FOR MUSICAL INSTRUMENTS	84/742
76	X		US 3524986 A	19700818		SEMICONDUCTOR LIGHT GATING OF LIGHT ACTIVATED SEMICONDUCTOR POWER CONTROL CIRCUITS	250/214R
77	X		US 3477930 A	19691111		METHOD AND SYSTEM FOR PREVENTING ELECTROLYTIC CORROSION OF PIPES	205/732
78	X		US 3221239 A	19651130		Transistors as anti-reversal devices for series connected rechargeable cells	320/122
79	X		US 2970246 A	19610131		Solenoid actuating circuit	361/154

	Current XRef	Retrieval Classif	Inventor	S	C	P	2	3	4	5	Image Doc. Displayed	PT
75	330/305; 330/306; 84/746; 84/DIG.2; 984/309; 984/316; 984/328; 984/367; 984/DIG.1		KUSHNER LESTER L et al.									
76	250/551; 250/552; 315/153; 315/156; 327/187; 327/193; 327/514		HARNDEN JOHN D JR									
77	204/196.11; 204/196.16; 204/196.26; 204/196.31; 205/733; 205/735		CRITES VIRGIL C									
78	307/63; 307/77		NICHOLAS LANGER et al.									
79	123/146; 123/473; 123/484; 123/490; 361/210		GUNKEL WILLIAM F									



Advanced Search

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields	
AND	<input type="text"/>	in All Fields
AND	<input type="text"/>	in All Fields
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>		

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

<input type="text" value="impedance<paragraph>(battery<or>batteries)"/> <paragraph>(string<or>strings)"/>	
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>	

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceeding
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» Select date range

- ☐ Search latest content update (18)
- ☒ From year to

» Display Format

- ☒ Citation
- ☐ Citation & Abstract


» Organize results

Maximum
Display results per page
Sort by
In order

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2005 IEEE - All Rights Reserved

powered by
 Inspec



Search Results

Home | Login | Logout | Access Information | Alerts | Sitemap | Help



Welcome United States Patent and Trademark Office

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT



Results for "(((impedance<paragraph>(battery<or>batteries)<paragraph>(string<or>strings))<in>metadata))"

Your search matched 6 of 1150196 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)

[» New Search](#)

» Key

- IEEE JNL

IEEE Journal or Magazine
- IEEE JNL

IEEE Journal or Magazine
- IEEE CNF

IEEE Conference Proceeding
- IEEE CNF

IEEE Conference Proceeding
- IEEE STD

IEEE Standard

Modify Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

- ☐

1. Charge equalization for series connected battery strings

Kutkut, N.H.; Divan, D.M.; Novotny, D.W.; Industry Applications, IEEE Transactions on Volume 31, Issue 3, May-June 1995 Page(s):562 - 568

[AbstractPlus](#) | Full Text: [PDF](#)(628 KB) [IEEE JNL](#)
- ☐

2. System noise as a signal source for impedance measurements on battery strings

Robinson, R. S.; Telecommunications Energy Conference, 1993. INTELEC '93. 15th International Volume 2, 27-30 Sept. 1993 Page(s):365 - 368 vol.2

[AbstractPlus](#) | Full Text: [PDF](#)(268 KB) [IEEE CNF](#)
- ☐

3. Charge equalization for series connected battery strings

Kutkut, N.H.; Divan, D.M.; Novotny, D.W.; Industry Applications Society Annual Meeting, 1994., Conference Record of the 1994 IEEE 2-6 Oct. 1994 Page(s):1008 - 1015 vol.2

[AbstractPlus](#) | Full Text: [PDF](#)(568 KB) [IEEE CNF](#)
- ☐

4. Monitoring of multicell battery string with single sensing wire

Noworolski, Z.; Noworolski, J.M.; Telecommunications Energy Conference, 1994. INTELEC '94., 16th International 30 Oct.-3 Nov. 1994 Page(s):486 - 490

[AbstractPlus](#) | Full Text: [PDF](#)(232 KB) IEEE CNF

☐ **5. The art of impedance testing**

Langan, P.E.;
Cement Industry Technical Conference, 1999. Conference Record. 1999 IEEE-IAS/PCA
11-15 April 1999 Page(s):121 - 129

[AbstractPlus](#) | Full Text: [PDF](#)(380 KB) IEEE CNF

☐ **6. A realistic reliability and availability prediction methodology for power supply systems**

Kervarrec, G.; Marquet, D.;
Telecommunications Energy Conference, 2002. INTELEC. 24th Annual International
29 Sept.-3 Oct. 2002 Page(s):279 - 286

[AbstractPlus](#) | Full Text: [PDF](#)(462 KB) IEEE CNF

[View Selected Items](#)



Advanced Search

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields	
AND	<input type="text"/>	in All Fields
AND	<input type="text"/>	in All Fields
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>		

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

<div>(initialize<or>initialization<or>initializi ng) <paragraph> (probe<or>probes) <and> (battery<or>batteries)</div> <div><input type="button" value="Run Search"/> <input type="button" value="Reset"/></div>

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)» **Publications**☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceeding
- ☒ IEE Conference Proceeding
- ☒ IEEE Standards

» **Select date range**

- ☐ Search latest content update (18
- ☒ From year to

» **Display Format**

- ☒ Citation
- ☐ Citation & Abstra

» **Organize results**

Maximum

Display results per pa

Sort by

In order

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -

Indexed by
 Inspec

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((initialize<or>initialization<or>initializing)<paragraph>(probe<or>probes)<and>(battery<or>batteries))<in>metadata)"



Your search matched 0 of 1150196 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

Modify Search

IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEE JNL IEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

No results were found.

IEEE STD IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising.

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2005 IEEE –

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Sat, 23 Apr 2005, 6:18:26 PM EST

Search Query Display

[Run Search](#)[Reset](#)

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 (((bus<paragraph>daisy<paragraph>chain)<and>
(battery<or>batteries))<in>metadata)
- #2 (((initialize<or>initialization<or>initializing)<paragraph>
(probe<or>probes)<and>(battery<or>batteries))<in>metadata)

[Clear Session History](#)

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -



Advanced Search

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in	All Fields	
AND	<input type="text"/>	in	All Fields
AND	<input type="text"/>	in	All Fields
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>			

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

<input type="text" value="(bus<paragraph>daisy<paragraph>chain)<and>(battery<or>batteries)"/>	
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>	

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedin
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» Select date range

☐ Search latest content update (18☒ From year to

» Display Format

☒ Citation ☐ Citation & Abstra

» Organize results

Maximum
Display results per pa
Sort by
In order

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE -

powered by
 Inspec

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office


[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "(((bus<paragraph>daisy<paragraph>chain)<and>(battery<or>batteries))<in>metadata)" 

Your search matched 0 of 1150196 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

Modify Search

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir

Indexed by
[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Sat, 23 Apr 2005, 6:16:04 PM EST

Search Query Display

[Run Search](#)[Reset](#)

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1 (((bus<paragraph>daisy<paragraph>chain)<and>
(battery<or>batteries))<in>metadata)

[Clear Session History](#)

powered by
 Inspec

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE -

PLUS Search Results for S/N 10626019, Searched March 03, 2005

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

5008650
4339714
4524320
4536705
4627445
4766329
5314313
5315291
5334973
5467082
5744932
5949352
6050143
6065427
3617870
4146834
4246109
4264902
4268218
4270735
4284951
4301412
4303887
4319232
4322782
4340796
4365237
4388584
4388821
4395679
4423378
4467783
4485666
4498481
4503859
4523465
4540940
4546309
4590373
4596266
4599524
4630314
4779319
4810944
4814933
4833413
4837519
4849098
4851818
4852264